

Picolly.com presents



# Sewing pattern - Ladie's Skirt SWING





# 1

## Sewing pattern - Ladie's Skirt SWING

**“I really like this pattern eshop.  
All patterns are easy to use.  
The delivery is instant. I really  
enjoy this shop”**

*– Customer Review on Google*





# Sewing pattern - Ladie's Skirt SWING



Thank you for purchasing a Ladies Skirt  
„SWING“ sewing pattern.

# Thank you for buying a Picolly.com Sewing Pattern

---

Thank you for purchasing a Picolly.com Sewing Pattern and thank you for respecting the copyright. This pattern is not intended for commercial use and can not be shared without the author's permission, arbitrary propagation is illegal.

Purchasing the pattern allows me to create new edits and create additional tutorials that you can find on my blog.

If you need any help with the pattern, please contact me at [petra@picolly.com](mailto:petra@picolly.com)

## Sizes:

The pattern attachement is ready in EU sizes: **32 - 46**

## Recommended material:

- weaker elastic fabrics (ideally knit cotton + elastane)

## Fabric consumption (at 140 -150 cm width):

### • for sizes **32 - 36:**

- 70 cm

### • for sizes **38 -46:**

- 100 cm

# The sewing pattern comes in three variants:

---

The sewing pattern is prepared for you in three variants

**1st variant** – PDF A4 sewing patterns in individual sizes – the sewing pattern in this form contains the seam allowances – the sewing line is routed in red, the overall part shape including seam allowances in blue – in this case, you cut parts from the fabric precisely according to the sewing pattern and don't add anything anywhere.

**2nd variant** – PDF A4 all sizes together – the sewing pattern in this form doesn't contain the seam allowances or hem additions. In this case, you cut individual parts from the fabric while adding these seam allowances as well.

**3rd variant** – PDF A1 - the large-format sewing pattern is ready for printing on a plotter or in a copy studio and doesn't contain the seam allowances or the hem additions. In this case, you cut individual parts from the fabric while adding these seam allowances as well

---

How to print the pattern

**Print the pattern in 100% scale on any laser printer.**

First, print one page of the cut with a check square, and then measure it to verify the correct size. If the dimensions fit, then print the remaining sheets of the cut sheet in the same way. Always align the same points (corners) to fit the cut correctly.

# Size table

Size table								
Size	32	34	36	38	40	42	44	46
Height (in cm)	168	168	168	168	168	168	168	168
Chest	76	80	84	88	92	96	100	104
Waist	58	62	66	70	74	78	82	86
Hips	82	86	90	94	98	102	106	110

# Tips and Tricks

On the web, I have prepared an entire range of tips and tricks for you, which will facilitate your work with the sewing pattern and/or your sewing machine. I recommend browsing through the page before commencing work. :)

<https://www.picolly.com/tips-and-tricks/>



# 2

## Declaration

---

The sewing pattern including the tutorial and all photographs is an author craft and any dissemination, copying, or provision to a third party is forbidden and will be considered a breach of the Copyright Act (the Law on the copyright, the rights related to copyright, and on a change of some laws – Law No. 121/2000 Coll.), which may be prosecuted.

The contents of the sewing pattern (or the tutorial) are based on personal experience of the author. However, your personal successes and possible failures are in your hands and the author bears no responsibility for them.

But that doesn't mean you are alone in it. Whenever you have a question, don't hesitate to address me.



# 3

## So that the result is the best that can be, please read the following

---

The sewing patterns are designed in confection sizes because it is impossible to design a sewing pattern for all the possible types and sizes of physiques. So that the resulting clothes fit the physique really well, it is always necessary to measure the specific body and compare these measurements not only with the size table but especially with the paper sewing pattern. Only then you will actually find the suitable size of the sewing pattern. Moreover, the sewing pattern nearly always needs to be adapted for the specific body by minor modifications (even if you have two women whose overall circumferences of the chest, waist, and hips are the same, the women will in fact not be identical – one may have e.g. narrower back and larger bosom, the other may, on the contrary, have a trained physique with smaller bosom. One of the women may also e.g. have wider hips and flatter buttocks, the other one, on the contrary, narrower hips and rounder

buttocks...). Therefore, the sewing patterns are mere guidelines and if you want the clothes to fit perfectly, it is necessary to try the clothes on and measure them in the course of sewing. Sewing is a creative activity and it is needed to consider that everybody has a different build.

Furthermore, I recommend stitching all seams affecting the perimeter widths (such as e.g. side seams, step seams, etc.) with a basting thread, then try the clothes on and only subsequently sew them. Don't underestimate the inter-operational ironing or trying the clothes on during sewing.

Also, don't forget to properly mark the seam additions and sew behind these additions, a frequent beginner mistake is that the midinette doesn't measure the seam additions and cuts the sewing pattern guessingly and then also sews guessingly. It's needed to measure the corresponding seam additions with a



measuring tape around the entire sewing pattern and to sew in the place where you actually should sew, i.e. at the distance of the chosen seam additions. When the careful work with the seam additions is underestimated, deviations of up to several centimetres are unnecessarily created in the overall widths, possibly also in the lengths of individual sewing pattern sections.

When positioning the sewing pattern, always take care that the sewing pattern lies on the fabric correctly.

No two fabrics are the same, so please consider that what works with one fabric, doesn't have to work with another, thus it is necessary to try the clothes on in the course of sewing.

